

## CO-AX INDICATOR X 0.0005" GRADUATION

**Features:**

- Restraining rod
- Counterpoint feeler
- Centering indicator provides a simplified method for centering a workpiece or fixture on horizontal or vertical machines, external or internal diameters.
- Indicator dial remains stationary while the machine spindle rotates.
- Operates at any angle from horizontal to vertical without any change, and from internal to external by simply changing the feeler.
- No walking around the machine is necessary, no mirrors required, no contortions. Exact chucking not needed.
- All points and feelers are provided for free.
- Graduation: 0.01mm (JD21-0002)



JD21-0001



JD21-0003

Item	Range of Per Rev.	Length of Straight Feeler	Length of Center Point Feeler	Length of Curved Feeler	Price
<b>White Face</b> JD21-0001	0-0.12"	1.77", 4", 6.06"	2.07"	1.81", 4", 6.06"	\$112.00/SET
<b>Yellow Face</b> JD21-0002	0-3mm	45, 100, 154mm	52.5mm	46, 100, 154 mm	\$126.00/SET
JD21-0003	0-0.12"	1.77", 4", 6.06"	2.07"	1.81", 4", 6.06"	\$126.00/SET

## ELECTRONIC MAGNETIC Z AXIS SETTER 2" HEIGHT

**Features:**

- Accuracy 0.0002"
- Adjustable height 2"
- Magnetic base
- 360 degree red lamp lights up when touched
- Introduce the tool to the unit until the light is on, then draw back until light is off
- Adjust the height if needed with preset two all-in screws on the side of the unit and turn the top grey part of the unit alongside the center threaded body.
- When presetting diameter, rotate too slowly for higher precision.
- Do not take caliper for presetting unit, only use gage block and preset gauge.

Item # **0805-4015**  
\$180.00/PC



## Z AXIS ZERO SETTING 0-0.1"

**Features:**

- Graduation: 0.001"
- Accuracy and repeatability: 0.0004"
- Height holding: 2"
- Length: 2"
- Square: 2.05"
- Square base, inside indicator, magnetic

Item # **0801-0301**  
\$116.00/PC



## SHORE HARDNESS TESTER

**Shore A:**

- Measuring range: 0-100 Shore A units
- Indenture: flat cone point 35°
- Measuring spring force: 0.55-8.065N
- Test pressure: 12.5N

**Shore D:**

- Measuring range: 0-100 Shore D units
- Indenture: cone point 30° angle
- Measuring spring force: 4.45-44.5 N
- Test pressure: 50 N

Item	Description	Price
AK07-8820	Shore A Hardness Tester	\$98.00/PC
AK90-0336	Shore D Hardness Tester	\$98.00/PC



AK07-8820

## PRECISION MAGNETIC Z-AXIS SETTER

**Features:**

- Mechanical zero-setting instrument for CNC machine centers
- Fast and sure establishing of "0" reference point
- No Averaging of several spindle approaches is required
- Positive alignment of zero position
- Spring loaded setting face



2124-2001

2124-2002

Item	Size	Price
2124-2001	0-0.125"x0.0005", magnetic 2" height	\$128.00/PC
2124-2002	0-0.1"x0.001", magnetic base (with switch), 4" height	\$160.00/PC

## 0.5" POCKET THICKNESS GAUGE

**Features:**

- Resolution: 0.001"
- Can be easily adjusted to zero by using the adjustment screw on the frame.
- Measuring faces are hardened, ground and lapped for accuracy.
- Stainless steel spindles.

Item	Range	Price
S906-C456	0-0.5"	\$60.00/PC




## MICROMETER STAND

**S907-C153:**

- Folding design for portable use
- Clamp can be adjusted and locked in any position

**EG10-1430:**

- A heavy micrometer stand
- Made of cast iron
- Can be adjusted to any position



- 0-1" ultra-precision M-type outside micrometer, with micrometer stand
- EG00-0001 as Page 12

- Electronic digital outside micrometer 0-1"/0-25mm, with micrometer Stand
- MD71-0001 as Page 11



Item # **EG10-1430**  
\$26.00/PC



Item # **S907-C153**  
\$34.00/PC



Item # **C153-EG01**  
\$61.00/SET



Item # **C153-MD01**  
\$103.00/SET